

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

PHS Washroom Cleaner Concentrate

Revision: 1 Revision date: 06/05/2020

SECTION 1: Identificatio	n of the substance/mixture and of the company/undertaking
1.1 Product identifier	
Product name	PHS Washroom Cleaner Concentrate
1.2 Relevant identified use	es of the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
	craftsmen); [PC35] Washing and cleaning products (including solvent based products);
1.3 Details of the supplier	
Company	Personnel Hygiene Services Ltd
Address	Block B, Western Industrial Estate, Caerphilly
	CF83 1XH
Web	United Kingdom www.phsdirect.co.uk
Telephone	02920 809098
Email:	www.phsdirect.co.uk/contact-us
1.4 Emergency telephone r	
Emergency telephone	02920 809098
number	Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9
	Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
	Tel: 01 809 2566 (health care professionals)
SECTION 2: Hazards ide	ntification
2.1 Classification of the su	ubstance or mixture
2.1.2 Classification - EC 1272/2008	Skin Irrit. 2: H315; Eye Dam. 1: H318;
2.2 Label elements	
Hazard pictograms	
Signal Word	Danger
	Skin Irrit. 2: H315 - Causes skin irritation.
Hazard Statement	Eye Dam. 1: H318 - Causes serious eye damage.
Hazard Statement	P264 - Wash thoroughly after handling.
Precautionary Statement:	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Prevention	· · · · · · · · · · · · · · · · · · ·
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH	Conc	Classification
				registration Number	(%w/w)	
Alcohols, C12-14 (Even numbered), ethoxylated (*R01)		68002-97-1			1-10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)		68424-85-1	270-325-2		1-10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Citric acid		5949-29-1	201-069-1	01-2119457026-42	1-10%	Eye Irrit. 2: H319;
Di Methoxy Propanol ((2-methoxymethylethoxy) propanol)		34590-94-8	252-104-2	01-2119450011-60	1-10%	
Acetic acid	607-002-00-6	64-19-7	200-580-7	01-2119475328-30	1-10%	Flam. Liq. 3: H226; Skin Corr. 1A: H314;

SECTION 4: First aid measures				
4.1 Description of fir	rst aid measures			
Inhalation	Move the exposed person to fresh air. Seek medical attention.			
Eye contact	Causes serious eye damage. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.			
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.			
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.			
4.2 Most important s	symptoms and effects, both acute and delayed			
Inhalation	May cause irritation to respiratory system.			
Eye contact	Causes serious eye damage.			
Skin contact	Irritating to skin.			
Ingestion	Irritant.			
4.3 Indication of any	r immediate medical attention and special treatment needed			
	No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.			

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Use extinguishing med	dia appropriate to the surrounding fire conditions.	
5.2 Special hazards arising from the substance or mixture		
Burning produces irrita	ating, toxic and obnoxious fumes.	
5.3 Advice for firefighters		
Wear suitable respirat	ory equipment when necessary.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures		
	Ensure adequate ventilation of the working area. Wear suitable protective equipment.	
6.2 Environmental precautions		
	Do not allow product to enter drains. Prevent further spillage if safe.	
6.3 Methods and material for containment and cleaning up		
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.	

6.4 Reference to other sect			
	For personal protective equipment see subse	ection 8.2. For dis	sposal considerations see section 13.
SECTION 7: Handling an	d storage		
7.1 Precautions for safe ha			
	Avoid contact with eyes and skin. Ensure ade when handling, carrying and dispensing.	equate ventilatior	n of the working area. Adopt best manual handling consideratio
2.2 Conditions for safe sto	rage, including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Kee	p containers tight	tly closed. For incompatibilities refer to section 10.4.
3 Specific end use(s)			
	No specific advice for end use available.		
SECTION 8: Exposure co	ontrols/personal protection		
3.1 Control parameters			
8.1.1 Exposure Limit Value	s - UK		
	WEL 8-hr limit mg/m3: 308		
Di Methoxy Propanol (2-methoxymethylethoxy) propanol)	WEL 8-hr limit ppm: 50		
	DIR: 91/322		STEL ppm: -
Acetic acid	8hTWA mg/m3: 25		NOT: -
	STEL mg/m3: -		
	8hTWA ppm 10		
3.1.1 Occupational Exposu	re Limits Values (OELVs) - Ireland		
Di Methoxy Propanol	Occupational Exposure Limit Value (8-hour	50 ppm	
(2-methoxymethylethoxy)	reference period) Occupational Exposure Limit Value (15-	308 mg/m3	
propanol)	minute reference period)	-	
	Occupational Exposure Limit Value (8-hour reference period)	10 ppm 25 mg/m3	
Acetic acid	Occupational Exposure Limit Value (15-	25 mg/m3 15 ppm	
	minute reference period)	37 mg/m3	
ONEL: Derived no-effect le Exposure Pattern - Worker			
Alkyl (C12-16) dimethylbenzyl ammonium chloride (*R01)	Long term exposure - systemic effects, Dermal : Long term exposure - systemic effects, Inhalation :		5,7 mg/Kg/day 3,96 mg/m3
Exposure Pattern - Genera			
Alkyl (C12-16) dimethylbenzyl ammonium chloride *R01)	Long term exposure - systemic effects, Oral Long term exposure - systemic effects, Derm Long term exposure - systemic effects, Inhala		3,4 mg/Kg/day 3,4 mg/Kg/day 1,64 mg/m3
8.2 Exposure controls			
•			

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Wash hands after handling the product.
8.2.1 Appropriate engineering controls	Ensure adequate ventilation of the working area.

8 2 2 Individual protection	Use appropriate personal protectiv	e equipmont	
measures		e equipment.	
Eye / face protection	Safety glasses. (EN166)		
Skin protection -	Chemical resistant gloves (PVC).	(EN 374)	
Hand protection Respiratory protection	Not normally required. Do not brea	the geo/fumee/up	
Respiratory protection	Not normally required. Do not brea	athe gas/fumes/vap	our/spray.
SECTION 9: Physical and	d chemical properties		
9.1 Information on basic pl	hysical and chemical properties		
Appearance			
Colour			
	Characteristic		
	<4.0 Not determined		
Freezing Point			
Initial boiling point	Not determined		
	Not determined		
Evaporation rate Flammability (solid, gas)			
	Not determined		
Partition coefficient	Not determined		
Autoignition temperature			
	<100 cp @20°C		
Explosive properties Oxidising properties			
Solubility	Soluble in water		
Vapour pressure			
9.2 Other information			
	Not determined		
Surface tension Specific gravity			
Specific gravity	1.00 g/cm		
SECTION 10: Stability an	d reactivity		
10.1 Reactivity			
	No reactivity hazards known unde	r normal storage an	d use conditions.
10.2 Chemical stability			
	Stable under normal conditions.		
10.3 Possibility of hazardo			
	No other adverse effects known.		
10.4 Conditions to avoid	Avoid contact with Alkalia		
	Avoid contact with: Alkalis. Avoid contact with: Chlorine-based	d bleaching agents.	
		<u> </u>	
SECTION 11: Toxicologi	cal information		
11.1 Information on toxicol	-		
Skin corrosion/irritation	Irritating to skin. Causes serious e	ye damage.	
Germ cell mutagenicity Carcinogenicity	No mutagenic effects reported. No carcinogenic effects reported.		
	No observed effect level.		
11.1.4 Toxicological Inform	ation		
	Inhalation Rat LC50/15min:		Dermal Rat LD50 NDA
Alcohols, C12-14 (Even			
numbered), ethoxylated	Oral Rat LD50:	100 mg/kg	Oral Mouse LD50: NDA
(*R01)			
		2 000	
	Dermal Rabbit LD50:	2,000 ma/ka	Dermal Guinea Pig LD50 NDA
		mg/kg	-
Alkyl (C12-16)	Dermal Rabbit LD50: Inhalation Rat LC50/15min:	mg/kg	Dermal Guinea Pig LD50 NDA Dermal Rat LD50 800-1420 mg/kg
dimethylbenzyl	Inhalation Rat LC50/15min:	mg/kg NDA	Dermal Rat LD50 800-1420 mg/kg
dimethylbenzyl ammonium chloride		mg/kg NDA	-
dimethylbenzyl	Inhalation Rat LC50/15min:	mg/kg NDA 240 - 400mg/kg	Dermal Rat LD50 800-1420 mg/kg
dimethylbenzyl ammonium chloride	Inhalation Rat LC50/15min: Oral Rat LD50: Dermal Rabbit LD50:	mg/kg NDA 240 - 400mg/kg NDA	Dermal Rat LD50 800-1420 mg/kg Oral Mouse LD50 NDA Dermal Guinea Pig LD50: NDA
dimethylbenzyl ammonium chloride	Inhalation Rat LC50/15min: Oral Rat LD50:	mg/kg NDA 240 - 400mg/kg NDA	Dermal Rat LD50 800-1420 mg/kg Oral Mouse LD50 NDA
dimethylbenzyl ammonium chloride (*R01)	Inhalation Rat LC50/15min: Oral Rat LD50: Dermal Rabbit LD50: Inhalation Rat LC50/15min:	mg/kg NDA 240 - 400mg/kg NDA NDA 3000	Dermal Rat LD50 800-1420 mg/kg Oral Mouse LD50 NDA Dermal Guinea Pig LD50: NDA Dermal Rat LD50: NDA
dimethylbenzyl ammonium chloride	Inhalation Rat LC50/15min: Oral Rat LD50: Dermal Rabbit LD50:	mg/kg NDA 240 - 400mg/kg NDA NDA	Dermal Rat LD50 800-1420 mg/kg Oral Mouse LD50 NDA Dermal Guinea Pig LD50: NDA
dimethylbenzyl ammonium chloride (*R01)	Inhalation Rat LC50/15min: Oral Rat LD50: Dermal Rabbit LD50: Inhalation Rat LC50/15min:	mg/kg NDA 240 - 400mg/kg NDA NDA 3000 mg/kg	Dermal Rat LD50 800-1420 mg/kg Oral Mouse LD50 NDA Dermal Guinea Pig LD50: NDA Dermal Rat LD50: NDA

		>4000		
	Oral Rat LD50:			
Di Methoxy Propanol ((2-methoxymethylethoxy)		(oral rat) 9510		
propanol)	Dermal Rabbit LD50:	mg/kg		
propulsi	Inhelation Dat OF0/45min.	00		
	Inhalation Rat LC50/15min:	3.35 mg/l		
	Inhalation Rat LC50/4 h:	40000	Dermal Rat LD50: NDA	
		mg/m3		
Acetic acid	Oral Rat LD50:	3310 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50:	NDA	Dermal Guinea Pig LD50: NDA	
SECTION 12: Ecological	information			
12.1 Toxicity				
	Daphnia EC50/48h:	NDA		
Alcohols, C12-14 (Even				
numbered), ethoxylated (*R01)	Fish LC50/96h:	NDA		
	Algae IC50/72h:	NDA		
Alkyl (C12-16)	Daphnia EC50/48h:	0.0200 mg/l	Daphnia LC50/48h:	0.02mg/l
dimethylbenzyl		•		
ammonium chloride	Green algae EC50/96h:	0.06mg/l		
(*R01)	Fish LC50/96h:	1.2000		
		mg/l		
	Fish LC50/96h:	760mg/l		
	Dankaia LOE0/72k	400 "		
Citric acid	Daphnia LC50/72h	120 mg/l		
	Algae EC50/168h	640ma/l		
	3	-		
	Fish LC50/96h:	10,000 mg/l		
Di Methoxy Propanol		•		
((2-methoxymethylethoxy) propanol)	Daphnia EC50/48h:	1,919 mg/l		
p. op	Algae LC50/72h:	1,000 mg/l		
		0.4500		
	Daphnia EC50/48h:	0.4500 mg/l		
Acetic acid	Fish LC50/96	20 5000		
	FISH LC30/90	mg/i		
	Algae LC50/72h:	0.7300		
12.2 Persistence and degra	ndahility	mg/l		
	No data is available on this produc	xt.		
12.3 Bioaccumulative pote				
	No data is available on this produc	xt.		
Partition coefficient	No doto io ovollable en this are the			
12.4 Mobility in soil	No data is available on this produc	<i>ι</i> .		
	No data is available on this produc	xt.		
12.5 Results of PBT and vP				
	Substances that fulfill the criteria f	or PBT/vPvB, if	any, are listed in section 3.	
12.6 Other adverse effects				
	No other adverse effects known.			
SECTION 13: Disposal co	onsiderations			
General information				
	Dispose of in compliance with all I	ocal and nation	al regulations.	
Disposal of packaging			-	
	Dispose of in compliance with all I		al regulations.	
	Empty containers can be cleaned	with water.		
Further information				
	European Waste Catalogue: 20 0	1 29.		

SECTION 14: Transport	information
14.1 UN number	
	The product is not classified as dangerous for carriage.
14.2 UN proper shipping n	
i inz eit pieper einpping i	The product is not classified as dangerous for carriage.
14.2 Tropoport borord alog	
14.3 Transport hazard clas	
ADR/RID	The product is not classified as dangerous for carriage.
Subsidiary risk	- The second se
IMDG Subsidiary risk	The product is not classified as dangerous for carriage.
Subsidiary risk IATA	- The product is not classified as dangerous for carriage.
Subsidiary risk	The product is not classified as dangerous for camage.
14.4 Packing group	
Packing group	The product is not classified as dangerous for carriage.
14.5 Environmental hazard	ds
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	-
Tunnel Category	
IMDG	
EmS Code	-
IATA	
Packing Instruction	-
(Cargo)	
Maximum quantity	-
Packing Instruction	
(Passenger)	
Maximum quantity	

SECTION 15: Regulatory information

15.1 Safety, health and en	vironmental regulations/legislation specific for the substance or mixture
	EU regulations:
	Regulation(EC)No.1907/2006 - REACH
	Regulation(EC)No1272/2008 - CLP
	Regulation(EC)No.648/2004 - Detergents regulation
	Ingredients according to EC Detergents Regulation 648/2004 5 - 15%; Non ionic surfactants
	Less than 5%: Cationic surfactants, Phosphonates
	Other ingredients: Perfume

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	Changes to sections 1, 3, 8, 9, 11, 12, 15
Acronyms	LC: Lethal concentration.
	LD: Lethal dose.
	NDA - No data available.
	NOAEC: No observed adverse effect concentration.
	NOAEL: No observed adverse effect level.
	NOEC: No observed effect concentration.
	NOEL: No observed effect level.
	PBT: Persistent, bioaccumulative and toxic.
	SVHC. Substance of very high concern.
	vPvB. Very persistent and very bioaccumulative.
	*R01 - Polymer REACH number not available.
Text of Hazard Statements	Acute Tox. 4: H302 - Harmful if swallowed.
in Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
storage and handling of the product. This information is correct to the best of our knowledge and
belief at the date of publication however no guarantee is made to its accuracy. This information
relates only to the specific material designated and may not be valid for such material used in
combination with any other materials or in any other process.
Internal ref: F000078