

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

PHS Washroom Renovator

Revision: 1

Revision date: 25/05/2020

SECTION 1: Identification of the substance/mixture and of the company	y/undertaking
---	---------------

SH-BPF-335 1.1 Product identifier

Product name PHS Washroom Renovator

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Personnel Hygiene Services Ltd Company

Address Block B, Western Industrial Estate, Caerphilly

> CF83 1XH United Kingdom www.phsdirect.co.uk 02920 809098

www.phsdirect.co.uk/contact-us Email:

1.4 Emergency telephone number

Emergency telephone 02920 809098

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 number

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC 1272/2008

EUH206: H290: Skin Irrit. 2: H315: Eye Dam. 1: H318: Aquatic Acute 1: H400: Aquatic Chronic 2: H411:

2.2 Label elements

Web

Telephone

Hazard pictograms





Signal Word

Hazard Statement

Danger EUH206: Warning! Do not use together with other products. May release dangerous gases (chlorine).

H290 - May be corrosive to metals. Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statement:

Prevention

P234 -Keep only in original container.

P273 -Avoid release to the environment. P280 -Wear protective gloves and eye/face protection.

Precautionary Statement:

Response

P310 -Immediately call a POISON CENTER or doctor/physician.

P390 -Absorb spillage to prevent material damage.

P391 -Collect spillage.

P302+P352 -IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Precautionary Statement:

Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-hazardous

waste.

Print date: 25/05/2020

PHS Washroom Renovator Revision: 1

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Sodium hypochlorite, solution	017-011-00-1	7681-52-9	231-668-3	01-2119488154-34		EUH031; Skin Corr. 1B: H314; Aquatic Acute 1: H400;
Amines, C12-14 (even numbered) - alkyldimethyl, N-oxides			931-292-6	01-2119490061-47	0-0.5%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400;

Active substance(s). Sodium hypochlorite. 2.6g/100g.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes serious eye damage. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing. Immediately call a POISON CENTER/doctor/ .
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if
	irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.
	DO NOT INDUCE VOMITING.

4.2 Most important symptoms and effects, both acute and delayed

nz moot important cympi	me most important symptoms and should, be in a sale and a slayed	
Inhalation	May cause irritation to respiratory system.	
Eye contact	Causes serious eye damage.	
Skin contact	Irritating to skin.	
Ingestion	Irritant.	

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2 Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

Print date: 25/05/2020

SECTION 8: Exposure controls/personal protection

Exposure Pattern - Workers

	Acute inhalation - Systemic effects	3.1 mg/m³	
	Acute inhalation - Local effects	3.1 mg/m³	
Sodium hypochlorite,	Long-term - dermal - Systemic effects	1.55 mg/m³	
solution	Long-term - inhalation - Local effects	1.55 mg/m³	
	Long-term - dermal - Local effects	0.55 mg/m³	

posure Pattern - Gene			
	Acute inhalation - Systemic effects	3.1 mg/m³	
	Acute inhalation - Local effects	3.1 mg/m³	
dium hypochlorite,	Long-term - dermal - Systemic effects	1.55 mg/m³	
lution	Long-term - oral - Systemic effects	0.25 mg/m ³	
	Long-term - inhalation - Local effects	1.55 mg/m³	
	Long-term - dermal - Local effects	0.55 mg/m³	

8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Wash hands after handling the product.

8.2.1 Appropriate engineering controls 8.2.2 Individual protection

Ensure adequate ventilation of the working area.

Use appropriate personal protective equipment.

measures Eye / face protection

Safety glasses. (EN166)

Skin protection -Hand protection Respiratory protection

Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Characteristic
pН	>11.5
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable to liquids
Fat Solubility	Not determined
Partition coefficient	Not determined
Autoignition temperature	Not determined
Viscosity	<100cp @20°C
Explosive properties	
0	

Oxidising properties Not oxidising Solubility Soluble in water

Vapour pressure Not determined

9.2 Other information

Conductivity Not determined Surface tension Not determined Specific gravity 1.04 g/cm³

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known

10.4 Conditions to avoid

Avoid contact with: Acids.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Print date: 25/05/2020

11.1.4 Toxicological Information

	Inhalation Rat LC50/15min: >10.5mg/l	Dermal Rat LD50: NDA	
Sodium hypochlorite, solution	Oral Rat LD50: NDA	Oral Mouse LD50 2900 - 3400 mg/l	
	Dermal Rabbit LD50: >2000 mg/l	Dermal Guinea Pig LD50: NDA	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides	Oral Rat LD50: 1064 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12: Ecological information

12.1 Toxicity

- · · ·		
	Fish LC50/96h:	0.62 mg/l
Sodium hypochlorite, solution	Green Algae EC50/24h:	28 mg/l
	Daphnia LC50/96h:	2.1 mg/l
Aurin	Daphnia EC50/48h:	3.1000 mg/l
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides	Fish LC50/96h:	2.6700 mg/l
IV-OXIUES	Algae EC50/72h:	0.1430 mg/l

12.2 Persistence and degradability

No data is available on this product.

12.3 Bioaccumulative potential

No data is available on this product.

Partition coefficient

No data is available on this product.

12.4 Mobility in soil

No data is available on this product.

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.

Further information

European Waste Catalogue: 20 01 29.

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

UN3082

14.2 UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SODIUM HYPOCHLORITE)

14.3 Transport hazard class(es)

ADR/RID	ć
Subsidiary risk	-

Print date: 25/05/2020

PHS Washroom Renovator Revision: 1

IMDG	9
Subsidiary risk]-
IATA	9
Subsidiary risk	-
14.4 Packing group	
Packing group	
14.5 Environmental hazard	ds
Environmental hazards	Yes
Marine pollutant	Yes
ADR/RID	
Hazard ID	90
Tunnel Category	E
IMDG	
EmS Code	F-A-S-F
IATA	
Packing Instruction	964

SECTION 15: Regulatory information

(Cargo)

(Passenger) Maximum quantity

Maximum quantity

Packing Instruction

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

450L

964

450L

- Regulation(EC)No.1907/2006 REACH
- Regulation(EC)No1272/2008 CLP
- Regulation(EC)No.648/2004 Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004 Less than 5%: Chlorine based bleaching agents, Non ionic surfactants

Other ingredients: Perfume

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas:.
	Changes to sections 2, 3, 4, 5, 6, 10, 14
Acronyms	LC: Lethal concentration.
	LD: Lethal dose.
	NDA - No data available.
	NOAEC: No observed adverse effect concentration.
	NOAEL: No observed adverse effect level.
	NOEC: No observed effect concentration.
	NOEL: No observed effect level.
	PBT: Persistent, bioaccumulative and toxic.
	SVHC. Substance of very high concern.
	vPvB. Very persistent and very bioaccumulative.
	*R01 - Polymer REACH number not available.
Text of Hazard Statements	EUH031 - Contact with acids liberates toxic gas.
in Section 3	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000070

Print date: 25/05/2020