

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

PHS Toilet Renovator

Revision: 1

Revision date: 29/04/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name PHS Toilet Renovator

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Personnel Hygiene Services Ltd Company

Address Block B, Western Industrial Estate, Caerphilly

> CF83 1XH United Kingdom www.phsdirect.co.uk 02920 809098

www.phsdirect.co.uk/contact-us Email:

1.4 Emergency telephone number

Emergency telephone 02920 809098

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 number

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC

1272/2008

Web

Telephone

Skin Corr. 1B: H314;

2.2 Label elements

Hazard pictograms



Signal Word

Hazard Statement

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Precautionary Statement:

Prevention

Precautionary Statement:

Response

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/.

P363 - Wash contaminated clothing before reuse.

Precautionary **Statement Storage** P405 - Store locked up.

Precautionary Statement: Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

Further information

Contains:. hydrochloric acid.

PHS Toilet Renovator Revision: 1 Page: 1/6

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Hydrochloric acid	017-002-01	7647-01-0	231-595-7	01-2119484862-27	1_10%	Skin Corr. 1B: H314; STOT SE 3: H335;
Quaternary ammonium compounds, trimethyltallow alkyl, chlorides (*R01)		8030-78-2	232-447-4			Flam. Liq. 2: H225; Acute Tox. 4: H302; Skin Corr. 1B: H314; STOT SE 3: H336; Aquatic Acute 1: H400;

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

No specific advice for end use available

PHS Toilet Renovator Revision: 1 Page: 2/6

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure Limit Values - UK

WEL 8-hr limit mg/m3: 2 WEL 8-hr limit ppm: 1 Hydrochloric acid WEL 15 min limit mg/m3: 8 WEL 15 min limit ppm: 5

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

	Occupational Exposure Limit Value (8-hour reference period)	5 ppm 8 mg/m3
	Occupational Exposure Limit Value (15-minute reference period)	10 ppm 15 mg/m3

DNEL: Derived no-effect level. **Exposure Pattern - Workers**

Quaternary ammonium
compounds,
trimethyltallow alkyl,
chlorides (*R01)

Long-term - inhalation - Systemic 3.32 mg/m³ Long-term - dermal - Systemic 4.7 mg/kg

Exposure Pattern - General population

Quaternary ammonium
compounds,
trimethyltallow alkyl,
chlorides (*R01)

Long-term - inhalation - Systemic 0.98 mg/m³ Long-term - dermal - Systemic 2.83 mg/kg Long-term - oral - Systemic effects 2.83 mg/kg

8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls 8.2.2 Individual protection

measures

Eye / face protection Skin protection -Hand protection Respiratory protection Ensure adequate ventilation of the working area.

Wear chemical protective clothing.

Safety glasses. (EN166)

Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Characteristic
	<1.5
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable to liquids
Fat Solubility	Not determined
Partition coefficient	Not determined
Autoignition temperature	Not determined
Viscosity	400 cp @20°C
Explosive properties	Not explosive
Oxidising properties	Not oxidising
	Soluble in water
Vapour pressure	Not determined

9.2 Other information

Conductivity Not determined

PHS Toilet Renovator Revision: 1 Page: 3/6

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known

10.4 Conditions to avoid

Avoid contact with: Alkalis, Chlorine-based bleaching agents

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity

Causes burns. No mutagenic effects reported. No carcinogenic effects reported. No observed effect level.

11.1.4 Toxicological Information

	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 NDA	
Hydrochloric acid	Oral Rat LD50: 900 mg/kg	Oral Mouse LD50: NDA	
	Dermal Rabbit LD50: > 5010 mg/kg	Dermal Guinea Pig LD50 NDA	
Quaternary ammonium	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
compounds, trimethyltallow alkyl, chlorides (*R01)	Oral Rat LD50: 1260 mg/kg	Oral Mouse LD50: NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12	: Eco	logical	In	torma	tion
------------	-------	---------	----	-------	------

12.1 Toxicity

Daphnia EC50/48h:

0.4920

NDA

Hydrochloric acid

Lepomis_Macrochirus LC50/96h: 24.6 mg/l

Algae IC50/72h: 0.78 mg/l

Quaternary ammonium compounds,

trimethyltallow alkyl, chlorides (*R01)

Algae EC50/72h:

Guppy LC50/96h NDA

Daphnia LC50/48h: NDA

12.2 Persistence and degradability

No data is available on this product.

12.3 Bioaccumulative potential

No data is available on this product.

Partition coefficient

No data is available on this product.

12.4 Mobility in soil

No data is available on this product.

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.

PHS Toilet Renovator Revision: 1 Page: 4/6

Print date: 05/05/2020

Further information

European Waste Catalogue: 20 01 14 acids.

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

UN1789

14.2 UN proper shipping name

HYDROCHLORIC ACID

14.3 Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4 Packing group

Packing group

14.5 Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard	D	80
Tunnel	Category	Ε

IMDG

EmS Code F-A-S-B

IATA

Packing Instruction	
(Cargo)	
Maximum quantity	
Packing Instruction	
(Passenger)	
Maximum quantity	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

856

60L 852

- Regulation(EC)No.1907/2006 REACH
- Regulation(EC)No1272/2008 CLP
- Regulation(EC)No.648/2004 Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004 Less than 5%: Amphoteric Surfactants

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

RevisionThis document differs from the previous version in the following areas:.
Changes to sections 1, 3, 8, 9, 11, 12, 15

Acronyms LC: Lethal concentration.

LD: Lethal dose.

NDA - No data available.

NOAEC: No observed adverse effect concentration.

NOAEL: No observed adverse effect level.

NOEC: No observed effect concentration.

NOEL: No observed effect level.

PBT: Persistent, bioaccumulative and toxic.

SVHC. Substance of very high concern.

vPvB. Very persistent and very bioaccumulative.

*R01 - Polymer REACH number not available.

Text of Hazard Statements

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation.

in Section 3

Eye Irrit. 2: H319 - Causes serious eye irritation.

PHS Toilet Renovator Revision: 1 Page: 5/6

Print date: 05/05/2020

	STOT SE 3: H335 - May cause respiratory irritation
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
	Internal ref: F000067

Print date: 05/05/2020

PHS Toilet Renovator Revision: 1