

#### SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 1

Compilation date: 23/02/2021

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

## 1.3. Details of the supplier of the safety data sheet

Company name: Solupak Limited

Unit 6 Ripley Close

Normanton Ind. Estate

Normanton

WF6 1TB

UK

Tel: +44 (0)1924 565 120

Email: sales@solupak.com

## 1.4. Emergency telephone number

Emergency tel: +44 (0)1924 565 120

(office hours only)

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage. Very toxic to aquatic life. Toxic to aquatic life

with long lasting effects.

## 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion

GHS09: Environmental





Signal words: Danger

SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 2

**Precautionary statements:** P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## **Hazardous ingredients:**

SODIUM CARBONATE - REACH registered number(s): 01-2119485498-19-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	50-70%

# QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-C16-ALKYLDIMETHYL, CHLORIDES - REACH registered number(s): 01-2119983287-23-XXXX

270-325-2	68424-85-1	-	Eye Dam. 1: H318; Skin Corr. 1B:	1-10%
			H314; Aquatic Acute 1: H400; Aquatic	
			Chronic 1: H410; Acute Tox. 4: H302	

#### QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKYLDIMETHYL, CHLORIDES

269-919-4	68391-01-5	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314; Aquatic Acute 1: H400	

## QUATERNARY AMMONIUM COMPOUNDS C12-C18- ALKYL-[(ETHYLBENZYL) METHYL] DIMETHYL, CHLORIDES

273-318-2	68956-79-6	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314; Aquatic Acute 1: H400; Flam.	
			Liq. 3: H226	

## AMINES, C12-18-ALKYLDIMETHYL

269-923-6	68391-04-8	-	Acute Tox. 4: H302; Skin Corr. 1B:	<1%
			H314; Aquatic Chronic 1: H410	

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 3

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Refer to section 8 of SDS for

personal protection details.

SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 4

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Transfer to a closable, labelled salvage container for disposal by an

appropriate method.

#### 6.4. Reference to other sections

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Workplace exposure limits: No data available.

## **DNEL/PNEC Values**

# Hazardous ingredients:

## AMINES, C12-18-ALKYLDIMETHYL

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	1 mg/m3	Workers	Systemic
DNEL	Oral	0.5 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	0.26ug/l	-	-
PNEC	Marine water	0.03ug/l	-	-
PNEC	STP	130ug/l	-	-
PNEC	Fresh water sediments	1.25 mg/kg sediment	-	-
PNEC	Marine sediments	0.125 mg/kg sediment	-	-
PNEC	Soil	1mg/kg soil sw	-	_

SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 5

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Under normal conditions of use gloves are not normally required.Eye protection: Under normal conditions of use eye protection is not required.Skin protection: If handled in the correct way no special equipment required

**Environmental:** Prevent from entering in public sewers or the immediate environment.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Powder
Colour: Red

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Soluble

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: No data available. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

**Relative density:** No data available. **pH:** 11.3 (5% soln)

VOC g/I: No data available.

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 6

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## Hazardous ingredients:

#### **SODIUM CARBONATE**

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

## QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-C16-ALKYLDIMETHYL, CHLORIDES

DERMAL	RBT	LD50	3412	mg/kg
ORAL	RAT	LD50	344	mg/kg

## AMINES, C12-18-ALKYLDIMETHYL

ORAL	RAT	I DEO	1000 1250	ma/ka
URAL	KAI	LD50	1000 - 1250	mg/kg

## Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

## **Section 12: Ecological information**

## 12.1. Toxicity

## **Hazardous ingredients:**

SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 7

## QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-C16-ALKYLDIMETHYL, CHLORIDES

Daphnia magna	48H EC50	0.016	mg/l
Lepomis macrochirus (Bluefill sunfish)	96H LC50	0.515	mg/l
Pseudokirchneriella subcapitata (green a	72H ErC50	0.049	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

Mobility: Soluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

## 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Disposal of packaging:** Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1759

# 14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, N.O.S.

(QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C8-18-ALKYLDIMETHYL,

CHLORIDES)

#### 14.3. Transport hazard class(es)

Transport class: 8

## 14.4. Packing group

Packing group: II

SOLUPAK WASHROOM DISINFECTANT - FRAGRANCED - LEMON 10G SACHET

Page: 8

## 14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

#### 14.6. Special precautions for user

Tunnel code: E
Transport category: 2

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## **Section 16: Other information**

#### Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.