

SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

Page: 1

Compilation date: 11/02/2020

Revision date: 13/03/2020

Revision No: 1.1

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

### Product name: SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

Product code: SCFS150NCP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

#### 1.3. Details of the supplier of the safety data sheet

Company name: Solupak Limited

California Drive

Castleford

West Yorkshire

WF10 5QH

UK

**Tel:** +44 (0)1924 565 120

Email: sales@solupak.com

### 1.4. Emergency telephone number

Emergency tel: +44 (0)1924 565 120

(office hours only)

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

## 2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

**Precautionary statements:** P264: Wash hands, forearms and face thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

### SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

# 3.2. Mixtures

#### Hazardous ingredients:

### SODIUM CARBONATE - REACH registered number(s): 01-2119485498-19-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	30-50%

## 2-BUTOXYETHANOL; ETHYLENEGLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE - REACH registered number (s): 01-2119475108-36-XXXX

203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312;	1-10%	
			Acute Tox. 4: H302; Eye Irrit. 2: H319;		
			Skin Irrit. 2: H315		

### SULPHONIC ACIDS,C14-C17-SEC-ALKANE, SODIUM SALTS - REACH registered number(s): 01-2119489924-20-XXXX

307-055-2	97489-15-1	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	1-10%
			Eye Dam. 1: H318; Aquatic Chronic 3:	
			H412	

### ALKYLPOLYGLYCOSIDE C8-10 - REACH registered number(s): 01-2119488530-36-XXXX

500-220-1	-220-1 68515-73-1 - Eye Dam. 1: H318		Eye Dam. 1: H318	<1%
DIHYDRO MYRCENOL - REACH registered number(s): 01-2119457274-37-XXXX				
242-362-4 18479-58-8 - Skin Irrit. 2: H315; Eye Irrit. 2: H319		<1%		

### Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

### SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

### SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

Page: 4

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC** Values

# Hazardous ingredients:

# SULPHONIC ACIDS, C14-C17-SEC-ALKANE, SODIUM SALTS

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	2.8 mg/cm2	Workers	Local
DNEL	Dermal	5 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	35 mg/m3	Workers	Systemic
DNEL	Dermal	2.8 mg/cm2	General Population	Local
DNEL	Dermal	3.57 mg/kg bw/day	General Population	Systemic
DNEL	Inhalation	12.4 mg/m3	General Population	Systemic
DNEL	Oral	7.1 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	0.04 mg/l	-	-
PNEC	Marine water	0.004 mg/l	-	-
PNEC	Intermittent release	0.06 mg/l	-	-
PNEC	Fresh water sediments	9.4 mg/kg	-	-
PNEC	Marine sediments	0.94 mg/kg	-	-
PNEC	Soil	9.4 mg/kg	-	-
PNEC	Sewage	600 mg/l	-	-

### ALKYLPOLYGLYCOSIDE C8-10

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	595000 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	420 mg/m3	Workers	Systemic
DNEL	Dermal	357000 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation	124 mg/m3	Consumers	Systemic
DNEL	Oral	35.7 mg/kg bw/day	Consumers	Systemic
PNEC	Fresh water	0.1 mg/l	-	-
PNEC	Marine water	0.01 mg/l	-	-

### SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

PNEC	Fresh water sediments	0.487 mg/kg dwt	-	-
PNEC	Marine sediments	0.048 .g/kg dwt	-	-
PNEC	STP	560 mg/l	-	-
PNEC	Soil	0.654 mg/kg dwt	-	-

### 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. The floor of the storage room must be
	impermeable to prevent the escape of liquids.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Respiratory
	protective device with particle filter.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
Environmental:	Prevent from entering in public sewers or the immediate environment.

### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State:	Powder	
Colour:	Blue	
Odour:	Characteristic odour	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	Soluble	
Boiling point/range°C:	No data available. Melting point/range°C	No data available.
Flammability limits %: lower:	No data available. upper	No data available.
Flash point°C:	No data available. Part.coeff. n-octanol/water	No data available.
Autoflammability°C:	No data available. Vapour pressure	No data available.
Relative density:	No data available. pH	9.3 (5% soln)
VOC g/l:	No data available.	

### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

#### SULPHONIC ACIDS, C14-C17-SEC-ALKANE, SODIUM SALTS

DERMAL	MUS	LD50	>2000	mg/kg
ORAL	RAT	LD50	>500 - 2000	mg/kg

### **Relevant hazards for product:**

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

#### Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

Page: 7

#### Hazardous ingredients:

#### SULPHONIC ACIDS, C14-C17-SEC-ALKANE, SODIUM SALTS

Daphnia magna	48H EC50	9.81	mg/l
Desmodesmus subspicatus	72H EC50	>61	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	1 - 10	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

### Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### Section 14: Transport information

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## Section 16: Other information

# SOLUPAK NEUTRAL SCRUBBER DRIER - FRAGRANCED - LAVENDER

Other information	
Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.